

North East Office: Charlton Street, Grimsby, N.E. Lincolnshire, DN31 1SQ
Tel 01472 361425 Fax 01472 361420

North West Office: Stuart Road, Bredbury, Stockport, Cheshire, SK6 2SR
Tel 0161 406 2200 Fax 0161 406 9196

Sheffield Office: Unit 7 Vantage Park, Vantage Close, Sheffield, S9 1BG
Tel 0114 242 0825 Fax 0114 261 8335

Wales Office: Unit 3 Moy Road Industrial Est, Taffs Well, Cardiff, CF15 7QR
Tel 02920 815 000 Fax 02920 813 051

Southern Office: Unit 6 Bentley Street, Gravesend, Kent, DA12 2DH
Tel 01474 357660 Fax 01474 354198

Quotation No:QUO100013

Date:06/02/2017

Invoice address:00000642
CTS SRL
Baneasa Business & Tech Park
3rd Floor, Building B
Bucuresti-Pioiesti St 42-44
Bucharest, Romania

Delivery address:-
Ex Works USA Quotation
Brodie International
Statesboro
Georgia
USA

Attention: Marius Barlogeanu
Reference: CONPET project

Doc Ref:DOC0209103

Code	Description	Qty	Price \$	Disc %	Total \$
	Option 1			0.00	
	Brodie BiRotor meter B061ADAAAAACAAK 06 3" / DN80, 250 GPM / 56 m³/h 1 285 PSI (19.6 Bar) A Initial Release D Liters / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K SEP http://bit.do/B60-datasheet http://bit.do/B60-IOM	5.00	12880.00		64400.00
	Brodie BiRotor meter B064ADAAAAACAAK 06 3" / DN80, 250 GPM / 56 m³/h 4 740 PSI (51 Bar) A Initial Release D Liters / °C A Steel / Viton	2.00	16750.00		33500.00

Code	Description	Qty	Price \$	Disc %	Total \$
	A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K PED http://bit.do/B60-datasheet http://bit.do/B60-IOM				
	Brodie BiRotor meter B071ADAAAAACAAK 07 3" / DN80, 425 GPM / 96 m³/h 1 285 PSI (19.6 Bar) A Initial Release D Liters / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K FACTORY TO CHECK PED http://bit.do/B70-datasheet http://bit.do/B70-IOM	8.00	17600.00		140800.00
	Brodie BiRotor meter B074ADAAAAACAAK 07 3" / DN80, 425 GPM / 96 m³/h 4 740 PSI (51 Bar) A Initial Release D Liters / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K FACTORY TO CHECK PED http://bit.do/B70-datasheet http://bit.do/B70-IOM	1.00	19110.00		19110.00
	Brodie BiRotor meter B081ADAAAAACAAK 08 4" / DN100, 600 GPM / 136 m³/h	4.00	23450.00		93800.00

Code	Description	Qty	Price \$	Disc %	Total \$
	1 285 PSI (19.6 Bar) A Initial Release D Liters / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K PED http://bit.do/B08-datasheet http://bit.do/B80-IOM Brodie BiRotor meter B101AHAAAAACAAK 10 8" / DN200, 2124 GPM / 341 m³/h 1 285 PSI (19.6 Bar) A Initial Release H m³ / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K PED http://bit.do/B10-datasheet http://bit.do/B10-IOM Brodie BiRotor meter B111AHAAAAACAAK 11 10" / DN250, 3571 GPM / 567 m³/h 1 285 PSI (19.6 Bar) A Initial Release H m³ / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K PED http://bit.do/B11-datasheet http://bit.do/B11-IOM				
		2.00	42350.00		84700.00
		5.00	57850.00		289250.00

Code	Description	Qty	Price \$	Disc %	Total \$
	Brodie BiRotor meter B121AHAAAAACAAK 12 12" / DN300, 3500 GPM / 794 m³/h 1 285 PSI (19.6 Bar) A Initial Release H m³ / °C A Steel / Viton A Standard Connection - 125 - 250 AARH A Standard A Min -29 to Max 66°C / Standard A No Adjuster C None A None A None K FACTORY TO CHECK PED http://bit.do/B12-datasheet http://bit.do/B12-IOM	2.00	119250.00		238500.00
	Brodie Optical Pulser 0360B2B2C2A3 2 Optical - 500 Line code wheel 500/500 PPR (Channel A&B) B 9-28 Vdc 2 Oval / Accessory Adaptor C Remote mount - Includes cover 2 Supply Voltage (9-28 VDC) Pulse Dual Channel A None 3 II 2 G EX d II B T3-T6 ATEX http://bit.do/0360UMB-datasheet http://bit.do/Brodie-ATEX-0360 Option 1 Total \$1,019,160.00 Option 2	29.00	1900.00		55100.00
	Brodie BiRotor+ meter B271 - C-B-C-A-A-C-A-A-C-1-B B27 - 3 Inch / 96 m³/h 1 - 285 psi C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F A - ANSI 150 A - +/-0.15 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None B - Mtrs http://bit.do/Bplus-datasheet-r10	5.00	8975.00		44875.00

Code	Description	Qty	Price \$	Disc %	Total \$
	Brodie BiRotor+ meter B274 - C-B-C-B-A-C-A-A-C-1-B B27 - 3 Inch / 96 m³/h 4 - 740 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F B - ANSI 300 A - +/-0.15 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None B - Mtrs http://bit.do/Bplus-datasheet-r10	2.00	14580.00		29160.00
	Brodie BiRotor+ meter B271 - C-B-C-A-A-C-A-A-C-1-B B27 - 3 Inch / 96 m³/h 1 - 285 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F A - ANSI 150 A - +/-0.15 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None B - Mtrs http://bit.do/Bplus-datasheet-r10	8.00	8975.00		71800.00
	Brodie BiRotor+ meter B274 - C-B-C-B-A-C-A-A-C-1-B B27 - 3 Inch / 96 m³/h 4 - 740 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F B - ANSI 300 A - +/-0.15 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None B - Mtrs http://bit.do/Bplus-datasheet-r10	1.00	14580.00		14580.00

Code	Description	Qty	Price \$	Disc %	Total \$
	Brodie BiRotor+ meter B281 - C-B-C-A-A-C-A-A-C-1-B B28 - 4 Inch / 159 m³/h 1 - 285 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F A - ANSI 150 A - +/-0.15 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None B - Mtrs http://bit.do/Bplus-datasheet-r10	4.00	10260.00		41040.00
	Brodie BiRotor+ meter B331 - C-B-C-A-C-C-A-A-C-1-E B33 - 8 Inch / 522 m³/h 1 - 285 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F A - ANSI 150 C - +/-0.075 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None E - PED and mtrs http://bit.do/Bplus8-datasheet	2.00	35385.00		70770.00
	Brodie BiRotor+ meter B331 - C-B-C-A-C-C-A-A-C-1-E B33 - 8 Inch / 522 m³/h 1 - 285 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F A - ANSI 150 C - +/-0.075 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None E - PED and mtrs http://bit.do/Bplus8-datasheet	5.00	35385.00		176925.00
	Brodie BiRotor+ meter B331 - C-B-C-A-C-C-A-A-C-1-E B33 - 8 Inch / 522 m³/h	2.00	35385.00		70770.00

Code	Description	Qty	Price \$	Disc %	Total \$
	1 - 285 C - C Revision B - 2 pickoffs and dual channel preamp C - Viton F A - ANSI 150 C - +/-0.075 / 10:1 C - Std rotors / ceramic bearings A - None A - None C - ATEX 1 - None E - PED and mtrs http://bit.do/Bplus8-datasheet Option 2 Total \$519,920.00 Carriage Carriage: Ex Works, Brodie, Statesboro, Georgia, USA. Import duties into the EU NOT included. Additional carriage and Packing requirements extra. Please specify packing required. Delivery: 16-18 Weeks. Payment terms to be advised. For any assistance regarding this quotation, please contact: - Dave Wrigley T. 01614062208 davew@mjwilsongroup.com For General Enquiries: flotech@mjwilsongroup.com				
		1.00		0.00	

Terms & Conditions:

Quotation Validity: 30 Days from quote date
Payment Terms: 30 Days Net monthly account or in advance if no terms agreed
Documentation: Any extra required will be charged at cost
The Prices quoted are in Sterling unless stated otherwise and exclusive of VAT
Delivery: As quoted above from receipt of order subject to prior sale
Packing & Carriage is to UK Mainland unless stated otherwise above
Standard Terms & Conditions Apply

This Quotation Is Priced In US Dollars

Total 1539080.00

Options included in the Total
Price excludes VAT.



RS 11489